CHALK PAINT

Page: 1

Compilation date: 23/11/2009

Revision date: 01/2/2016

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Tableau Chalk Paint

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: RPM Marketing (Sussex)

PO Box 1

BEXHILL ON SEA

East Sussex TN39 3ZQ

Tel: 01424 224620 Fax: 01424 863984

Email: info@tableauproducts.com

1.4. Emergency telephone number

Emergency tel: 01424 575131 Ext 0 Office Hours (Mon- Fri 9am-5pm) only.

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: CHALK PAINT

Contains: Risk phrases. None required.

Safety phrases. None required.

CHALK PAINT

Page: 2

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-lighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

CHALK PAINT

Page: 3

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep confainer tightly closed. Store above 5

degrees C Do not allow to freeze.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min, STEL
UK	300	150	-	

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Various

Odour: Characteristic odour

Solubility in water: Soluble

Viscosity: Non-viscous

Kinematic viscosity: 5.0 - 5.5p

Viscosity test method: Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3104/3105)

Boiling point/range°C: 200 Autoflammability°C: >200

Relative density: 1.4 - 1.50

CHALK PAINT

Page: 4 9.2. Other information Other Information: No data available, Section 10: Stability and reactivity 10.1. Reactivity Reactivity: Stable under recommended transport or storage conditions. 10.2. Chemical stability Chemical stability: Stable under normal conditions. 10.3. Possibility of hazardous reactions Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. 10.4. Conditions to avoid Conditions to avoid: Heat. 10.5. Incompatible materials Materials to avoid: Strong oxidising agents. Strong acids. 10.6. Hazardous decomposition products Haz. decomp. products: In combustion emits toxic fumes. Section 11: Toxicological information 11.1. Information on toxicological effects Toxicity values: No data available. Symptoms / routes of exposure Skin contact: There may be mild irritation at the site of contact. Eye contact: There may be irritation and redness. ingestion: There may be irritation of the throat. Inhalation: No symptoms. Section 12: Ecological information 12.1. Toxicity Ecotoxicity values: No data available. 12.2. Persistence and degradability Persistence and degradability: Biodegradable. 12.3. Bloaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

CHALK PAINT

Page: 5 12.4. Mobility in soil Mobility: Readily absorbed into soil. 12.5. Results of PBT and vPvB assessment PBT identification: This product is not identified as a PBT/vPvB substance. 12.6. Other adverse effects Other adverse effects: Negligible ecotoxicity. Section 13: Disposal considerations 13.1. Waste treatment methods Disposal operations: Disposal in accordance with local authority regulations. Disposal of packaging: Dispose of as normal industrial waste. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Section 14: Transport information 14.1. UN number UN number: NA 14.2. UN proper shipping name (NOT CLASSIFIED AS HAZARDOUS FOR TRANSPORT) 14.3. Transport hazard class(es) Transport class: NA 14.4. Packing group Packing group: NA 14.5. Environmental hazards Marine pollutant: No Environmentally hazardous: No 14.6. Special precautions for user Special precautions: No special precautions. Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2. Chemical Safety Assessment Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information

CHALK PAINT

Page: 6

Other information

Other Information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.